

Battery report

COMPUTER NAME	DESKTOP-A5EDHL1
SYSTEM PRODUCT NAME	LENOVO 82XV
BIOS	LZCN40WW 12/23/2024
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Not supported
REPORT TIME	2026-01-08 21:33:00

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	L22B4PA0
MANUFACTURER	BYD
SERIAL NUMBER	944
CHEMISTRY	LiP
DESIGN CAPACITY	60.000 mWh
FULL CHARGE CAPACITY	130 mWh
CYCLE COUNT	252

Recent usage

Power states over the last 7 days


START TIME	STATE	SOURCE	CAPACITY REMAINING	
2026-01-01 22:03:00	Active	AC	97 %	51.540 mWh
2026-01-02 00:05:00	Suspended		97 %	51.520 mWh
10:23:35	Active	Battery	97 %	51.200 mWh
12:46:13	Suspended		48 %	25.530 mWh
13:37:11	Active	Battery	47 %	24.680 mWh
15:07:56	Active	AC	6 %	2.910 mWh
15:33:41	Suspended		56 %	29.510 mWh
15:52:38	Active	Battery	60 %	31.620 mWh
16:56:00	Suspended		35 %	18.550 mWh
22:07:24	Active	Battery	34 %	18.020 mWh
22:08:58	Active	AC	32 %	17.180 mWh
23:47:00	Suspended		81 %	42.750 mWh
2026-01-03 10:25:20	Active	Battery	93 %	49.370 mWh
11:10:51	Suspended		82 %	43.350 mWh
11:19:56	Active	Battery	81 %	43.010 mWh
11:20:31	Active	AC	81 %	42.570 mWh
12:13:45	Suspended		100 %	52.880 mWh
12:30:24	Active	Battery	100 %	52.730 mWh
12:30:59	Active	AC	100 %	52.730 mWh
13:12:21	Active	Battery	100 %	52.710 mWh
13:13:31	Active	AC	99 %	52.570 mWh

START TIME	STATE	SOURCE	CAPACITY REMAINING	
2026-01-04 00:25:00	Suspended		98 %	52.040 mWh
09:49:20	Active	AC	98 %	51.900 mWh
11:25:27	Suspended		98 %	51.890 mWh
12:50:14	Active	AC	98 %	51.890 mWh
14:41:09	Suspended		98 %	51.870 mWh
15:23:49	Active	AC	98 %	51.870 mWh
2026-01-05 00:29:00	Suspended		98 %	51.630 mWh
10:48:35	Active	AC	97 %	51.520 mWh
16:25:49	Active	Battery	97 %	51.480 mWh
16:44:39	Suspended		92 %	48.840 mWh
19:01:27	Active	AC	91 %	48.160 mWh
2026-01-06 00:18:00	Suspended		100 %	52.880 mWh
09:32:41	Active	AC	100 %	130 mWh
09:33:11	Active	Battery	100 %	130 mWh
11:37:36	Battery changed	Battery	-	-
11:37:36	Active	Battery	-	-
11:37:37	Active	AC	-	-
11:37:44	Battery changed	AC	54 %	70 mWh
11:37:44	Active	AC	54 %	70 mWh
11:37:47	Suspended		54 %	70 mWh
11:44:08	Battery changed	AC	-	-
11:44:08	Active	AC	-	-
11:44:36	Battery changed	AC	46 %	60 mWh
11:44:36	Active	AC	46 %	60 mWh
11:44:36	Suspended		46 %	60 mWh
12:35:03	Active	AC	8 %	10 mWh
12:35:16	Active	Battery	8 %	10 mWh
12:35:23	Active	AC	8 %	10 mWh
13:12:57	Suspended		8 %	10 mWh
13:15:56	Active	AC	8 %	10 mWh
13:15:56	Suspended		8 %	10 mWh
13:19:30	Active	AC	8 %	10 mWh
15:40:48	Active	Battery	23 %	30 mWh
15:40:50	Active	AC	23 %	30 mWh
2026-01-07 00:15:00	Suspended		77 %	100 mWh
00:19:30	Active	AC	77 %	100 mWh
00:20:04	Active	Battery	77 %	100 mWh
00:20:48	Battery changed	Battery	-	-
00:20:48	Active	Battery	-	-
00:20:48	Active	AC	-	-
00:21:35	Battery changed	AC	77 %	100 mWh
00:21:35	Active	AC	77 %	100 mWh
00:21:36	Active	Battery	77 %	100 mWh
00:22:13	Battery changed	Battery	-	-
00:22:13	Active	Battery	-	-
00:22:13	Active	AC	-	-
00:22:20	Battery changed	AC	77 %	100 mWh
00:22:20	Active	AC	77 %	100 mWh
00:22:21	Active	Battery	77 %	100 mWh
00:28:30	Suspended		69 %	90 mWh
14:08:12	Active	Battery	69 %	90 mWh
14:13:56	Active	AC	69 %	90 mWh
15:40:00	Suspended		69 %	90 mWh
17:13:50	Active	AC	77 %	100 mWh

START TIME	STATE	SOURCE	CAPACITY REMAINING	
2026-01-08 00:19:00	Suspended		77 %	100 mWh
10:01:12	Active	Battery	77 %	100 mWh
10:02:21	Active	AC	77 %	100 mWh
15:27:27	Active	Battery	77 %	100 mWh
15:27:34	Suspended		77 %	100 mWh
16:46:58	Active	Battery	77 %	100 mWh
17:46:38	Active	AC	54 %	70 mWh
18:25:00	Suspended		62 %	80 mWh
18:29:08	Active	AC	62 %	80 mWh
21:24:56	Battery changed	AC	-	-
21:24:56	Suspended		-	-
21:27:16	Battery changed	Battery	77 %	100 mWh
21:27:16	Active	Battery	77 %	100 mWh
21:32:59	Report generated	Battery	77 %	100 mWh

Battery usage

Battery drains over the last 7 days



START TIME	STATE	DURATION	ENERGY DRAINED	
2026-01-02 10:23:35	Active	2:22:38	49 %	25.670 mWh
13:37:11	Active	1:30:44	41 %	21.770 mWh
15:52:38	Active	1:03:21	25 %	13.070 mWh
22:07:24	Active	0:01:33	2 %	840 mWh
2026-01-03 10:25:20	Active	0:45:30	11 %	6.020 mWh
11:19:56	Active	0:00:35	1 %	440 mWh
12:30:24	Active	0:00:35	-	-
13:12:21	Active	0:01:09	-	140 mWh
16:25:49	Active	0:18:49	5 %	2.640 mWh
09:33:11	Active	2:04:24	100 %	130 mWh
11:37:36	Active	0:00:01	-	-
12:35:16	Active	0:00:07	-	-
15:40:48	Active	0:00:02	-	-
00:20:04	Active	0:00:44	77 %	100 mWh

START TIME	STATE	DURATION	ENERGY DRAINED	
00:20:48	Active	0:00:00	-	-
00:21:36	Active	0:00:36	77 %	100 mWh
00:22:13	Active	0:00:00	-	-
00:22:21	Active	0:06:08	8 %	10 mWh
14:08:12	Active	0:05:43	-	-
10:01:12	Active	0:01:08	-	-
15:27:27	Active	0:00:06	-	-
16:46:58	Active	0:59:39	23 %	30 mWh
21:27:16	Active	0:05:43	-	-

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-02-10 - 2025-02-18	0:31:03	-	17:22:54	-
2025-02-18 - 2025-02-26	1:53:25	-	14:50:30	-
2025-02-26 - 2025-03-03	2:01:39	-	14:33:22	-
2025-03-03 - 2025-05-26	127:18:44	-	129:06:55	-
2025-11-03 - 2025-11-10	5:48:20	-	2:50:36	-
2025-11-10 - 2025-11-17	21:53:11	-	38:26:35	-
2025-11-17 - 2025-11-24	25:59:25	-	2:46:25	-
2025-11-24 - 2025-12-01	13:16:05	-	25:33:11	-
2025-12-01 - 2025-12-08	11:46:58	-	26:40:08	-
2025-12-08 - 2025-12-15	12:02:56	-	33:01:56	-
2025-12-15 - 2025-12-22	15:54:24	-	40:16:56	-
2025-12-22 - 2025-12-29	22:45:49	-	28:34:26	-
2025-12-29	2:06:07	-	11:18:11	-
2025-12-30	0:06:27	-	7:10:09	-
2025-12-31	1:51:39	-	6:37:54	-
2026-01-01	0:00:11	-	13:23:09	-
2026-01-02	4:42:38	-	2:08:01	-
2026-01-03	0:45:36	-	12:11:58	-
2026-01-04	-	-	12:26:52	-
2026-01-05	0:18:49	-	11:04:01	-
2026-01-06	2:04:32	-	11:37:09	-
2026-01-07	0:13:11	-	8:28:33	-

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-02-10 - 2025-02-18	53.990 mWh	60.000 mWh
2025-02-18 - 2025-02-26	53.990 mWh	60.000 mWh
2025-02-26 - 2025-03-03	53.990 mWh	60.000 mWh
2025-03-03 - 2025-05-26	54.034 mWh	60.000 mWh
2025-11-03 - 2025-11-10	57.230 mWh	60.000 mWh
2025-11-10 - 2025-11-17	51.175 mWh	60.000 mWh
2025-11-17 - 2025-11-24	49.710 mWh	60.000 mWh
2025-11-24 - 2025-12-01	49.710 mWh	60.000 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-12-01 - 2025-12-08	49.710 mWh	60.000 mWh
2025-12-08 - 2025-12-15	49.710 mWh	60.000 mWh
2025-12-15 - 2025-12-22	49.778 mWh	60.000 mWh
2025-12-22 - 2025-12-29	51.660 mWh	60.000 mWh
2025-12-29	51.660 mWh	60.000 mWh
2025-12-30	51.660 mWh	60.000 mWh
2025-12-31	51.984 mWh	60.000 mWh
2026-01-01	52.880 mWh	60.000 mWh
2026-01-02	52.880 mWh	60.000 mWh
2026-01-03	52.880 mWh	60.000 mWh
2026-01-04	52.880 mWh	60.000 mWh
2026-01-05	52.880 mWh	60.000 mWh
2026-01-06	21.223 mWh	59.999 mWh
2026-01-07	130 mWh	60.000 mWh

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-02-10 - 2025-02-18	3:46:32	-	4:11:45	-
2025-02-18 - 2025-02-26	2:34:23	-	2:51:35	-
2025-02-26 - 2025-03-03	3:15:17	-	3:37:02	-
2025-03-03 - 2025-05-26	5:40:50	-	6:18:28	-
2025-11-03 - 2025-11-10	4:45:46	-	4:59:35	-
2025-11-10 - 2025-11-17	4:27:38	-	5:13:47	-
2025-11-17 - 2025-11-24	142:43:41	-	172:16:23	-
2025-11-24 - 2025-12-01	3:57:41	-	4:46:53	-
2025-12-01 - 2025-12-08	4:08:12	-	4:59:35	-
2025-12-08 - 2025-12-15	4:21:03	-	5:15:05	-
2025-12-15 - 2025-12-22	3:50:04	-	4:37:19	-
2025-12-22 - 2025-12-29	4:34:16	-	5:18:33	-
2025-12-29	2:09:54	-	2:30:53	-
2025-12-30	2:00:43	-	2:20:13	-
2025-12-31	2:04:07	-	2:23:15	-
2026-01-01	0:57:01	-	1:04:42	-
2026-01-02	4:08:15	-	4:41:41	-
2026-01-03	6:38:33	-	7:32:13	-
2026-01-04	-	-	-	-
2026-01-05	6:16:54	-	7:07:39	-
2026-01-06	730:37:17	-	2065:31:16	-
2026-01-07	2:34:03	-	1185:00:00	-

Current estimate of battery life based on all observed drains since OS install

Since OS install	0:00:47	-	6:04:26	-
------------------	---------	---	---------	---